

members
services
workshops
about
research
connecting
links
sitemap
contact
faq
press
private



Teredo is a method of tunnelling IPv6 packets over IPv4/UDP. Its important distinguishing feature when compared to other tunneling methods is that it works even if there are NATs in the IPv4 path.

Our Teredo Server has been offline since 2022 due to hardware failure.

This Microsoft developed tunnelling protocol is defined by **RFC4380**¹. Windows has a built in Teredo implementation. There are also implementations of it for at least Linux, FreeBSD and Mac OS X. These include **Miredo**² and **nici-teredo**³.

Teredo uses the IPv6 prefix 2001:0::/32 to represent the IPv4 identity of the host. Teredo clients (hosts) connect to a Teredo server when they start up. After that connection is established the client and the server negotiate the address for the client. The Teredo clients need to be configured with the address of the closest Teredo server. Many clients use the Microsoft servers in Seattle by default.

TREX's Teredo server is open to anyone. To configure your Teredo client to use TREX's server, set the server address to `teredo.trex.fi`. Please configure it by hostname and not by IP address, in case we need to change the address some day. You can use the following command line to set the Teredo server in Windows:

```
C:\> netsh int ipv6 set teredo client teredo.trex.fi
```

TREX announces the following IPv6 route to peers in order to optimise routing for the Teredo server:

```
route6:      2001:0000::/32
descr:       Teredo-TREX
remarks:     Teredo anycast route. See TEREDO-MNT for details.
```

¹<http://tools.ietf.org/html/rfc4380>

²<http://www.remlab.net/miredo/>

³<http://sourceforge.net/projects/nici-teredo/>

Public Service: Teredo Server

remarks: FINLAND, EUROPE
origin: AS29432
mnt-by: TREX-MNT
mnt-routes: TEREDO-MNT
source: TREX \# Filtered

We have found that a considerable amount of all the Teredo traffic is with 6to4 tunnelled hosts, so we are running a 6to4 relay as well.